

# COLD STEEL 70

## Performance Data

Total Solar Energy Rejected	31%
Total Solar Energy Reflected	10%
Total Solar Energy Absorbed	31%
Total Solar Energy Transmitted	59%
Visible Light Transmitted	68%
Visible Light Reflected	9%
Ultra Violet Light Rejected	99%
Shading Coefficient	0.79
Solar Heat Gain Coeff. (g Value)	0.69
Winter U Value	1.08
Emissivity	0.91
Glare Reduction	25%

## Performance Guide

Solar Heat Rejection	★ ★ ☆ ☆ ☆
Glare Reduction	☆ ☆ ☆ ☆ ☆
UV Reduction	★ ★ ★ ★ ★
Fade Reduction	★ ★ ☆ ☆ ☆
Safety & Security	☆ ☆ ☆ ☆ ☆
One-Way Privacy	☆ ☆ ☆ ☆ ☆
Two-Way Privacy	☆ ☆ ☆ ☆ ☆
Scratch Coating	Yes
Warranty Period	12 Years

Key: Excellent - ★★★★★ Some Benefit - ★☆☆☆☆ N/A - ☆☆☆☆☆

## Film Notes

Very light neutral low reflective film whilst maintaining natural light transmission. Perfect for residential and shop front projects. Creates a subtle 'natural' neutral appearance.